

FOOD CONTACT INFORMATION - USA

| 21 CFR | 175.105 | 175.300 | 175.320 | 176.170 | 176.180 | 176.200 | 176.210 | 177.1200 | 177.1210 | 177.2600 | 178.3740 | 178.3910 | 181.27 |
|-------------------------|---------|----------------|----------------|----------------|----------------|---------|---------|----------------|----------------|----------|----------|----------|--------|
| Hallstar® Dioplex® 100 | • | • | • | | | | | • | | | | | |
| Hallstar® Dioplex® 195 | • | • | | | | | | • | | | | | |
| Hallstar® Dioplex® 214 | • | • | | | | | | • | | | | | |
| Hallstar® Dioplex® 430 | • | • | | | | | | • | | | | | |
| Hallstar® Dioplex® 7017 | • | • | | | | | | • | | | | | |
| Hallstar® Dioplex® 925 | • | • ₁ | | | | | | | | | | | |
| Hallstar® Dioplex® PPA4 | • | • | • | • | • | | | • | | | | | |
| Hallstar® Dioplex® VLV | • | • | | | | | | • | | | | | |
| Hallstar® BST | | • | | | | | | • | | | | | |
| Monoplex® DOA | • | | | | | | • | • | • ₆ | • | | | |
| Monoplex® DOS | • | • | | | | | | • ₄ | | | | | |
| Paraplex® A-8000 | • | • | • | • ₂ | • ₂ | | | • | • ₇ | | | | |
| Paraplex® A-8200 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® A-8210 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® A-8215 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® A-8500 | • | • ₁ | • ₁ | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® A-8540 | • | • ₁ | • ₁ | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® A-8600 | • | • ₁ | • ₁ | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-25 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-30 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-31 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-40 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-41 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-50 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-51 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-54 | • | • | • | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-56 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-57 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-59 | • | • | | • ₂ | • ₂ | | | • | | | | | |
| Paraplex® G-60 | • | • | | • ₂ | • ₂ | | | • | | | • | | |
| Paraplex® G-62 | • | • | | • ₂ | • ₂ | | | • | | | • | | |
| Peptizer 932N | | | | | | | | | • ₆ | | | | |

| 21 CFR | 175.105 | 175.300 | 175.320 | 176.170 | 176.180 | 176.200 | 176.210 | 177.1200 | 177.1210 | 177.2600 | 178.3740 | 178.3910 | 181.27 |
|----------------------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|--------|
| Plasthall® 100 | | | | | | | | | | •6 | | | |
| Plasthall® 226 DBEEA | | | | | | | | | | •6 | | | |
| Plasthall® 4141 | | | | | | | | | | •6 | | | |
| Plasthall® 503 | | | | | | • | | | | •6 | | | |
| Plasthall® CF | | | | | | | | | | •6 | | | |
| Plasthall® DBP | • | • | • | •2 | | | •3 | | | •6 | | | |
| Plasthall® DBS | • | • | | •2 | | | | | | •6 | | | • |
| Plasthall® DIBA | • | • | | | | | | | | | | | • |
| Plasthall® DIDA | • | | | | | | | | | •6 | | | |
| Plasthall® DIDP | • | • | | | | | | •5 | | •6 | | | |
| Plasthall® DINP | | | | | | | | | | | • | | |
| Plasthall® DIOA | | | | | | | | | | •6 | | | |
| Plasthall® DIOP | • | • | | | | | | | | | | | •9 |
| Plasthall® DOA | • | | | | | | • | • | | •6 | • | | |
| Plasthall® DOP | • | • | | | | • | • | | | •6 | | • | •9 |
| Plasthall® DOS | • | • | | | | | | •4 | | •6 | | | |
| Plasthall® DOZ | | | | | | | | | | | •8 | | |
| Plasthall® ELO | | | | | | | | • | | | • | | |
| Plasthall® ESO | • | • | | • | • | | | • | | | | • | • |
| Plasthall® LCOA | | | | | | | | | | •7 | | | |
| Plasthall® P-643 | • | • | • | •2 | •2 | | | • | | | • | | |
| Plasthall® P-650 | •1 | •1 | | •2 | •2 | | | • | | | | | |
| Plasthall® P-670 | • | • | | •2 | •2 | | | • | | | | | |
| Plasthall® P-675 | • | • | | •2 | •2 | | | • | | •7 | | | |
| Plasthall® P-900 | • | • | | •2 | •2 | | | | | | | | |
| TegMeR® 803 | • | • | | | | | | | | | | | |
| TegMeR® 804 | • | | | • | • | | | | | | | | |
| Staflex® DOM | | • | | | | | | | | | | | |
| Staflex® DBM | • | | | | | | | | | | | | |

- 1.) For use in coatings intended for use in contact with non-alcoholic foods.
- 2.) Acceptable for use provided that the food-Contact surface of the paper or paperboard complies with the extractives limitations prescribed in 176.170 (c).
- 3.) Used alone or in combination with other phthalates where total phthalates do not exceed 5%.
- 4.) Limited to 2% of the closure-sealed gasket composition.
- 5.) For use in closure-sealed gasket compositions used in contact with non-fatty foods containing no more than 8% alcohol.
- 6.) Plasticizers are not to exceed 30% by weight of the rubber product.
- 7.) To be used at levels not exceeding the minimum amount needed to accomplish the intended technical effect
- 8.) See restrictions in regulation for Di (2-ethylhexyl) Azelate.
- 9.) For use with foods of high water content only.

It is the responsibility of the user to ensure restrictions and migration limits under each section are adhered to prior to use. This information is provided in good faith and is believed accurate as of the date below based on a review of current composition and information supplied by our suppliers. No warranty is expressed or implied. Liability is expressly disclaimed. Rev. 1 - 10/2015